YOUR GATEWAY TO A **BETTER VIEW**

HS-TEC-G-050-01





PRODUCT BROCHURE

HERITAGE



H28 CASEMENT SYSTEM

HERITAGE

BY H SYSTEMS

H 28 CASEMENT FEATURES

The H 28 Casement System is a fixed panel and window system, that is characterized by its frame width of 28mm. Its narrow sightlines enhance natural light entry while maintaining structural integrity. Engineered for performance, the H28 Casement System meets South African building standards, making it a preferred choice in the market for both residential and commercial projects.

CAPABILITIES


- The H 28 Casement System offers a variety of window configurations, including top-hung and sidehung options.
- The H 28 Casement System offers a range of adaptors that facilitate integration with patio slider sidelights and shopfronts, enhancing versatility and functionality.
- A range of three mullions (28mm, 54mm and 70mm) are available to cater for larger window openings.
- The H 28 Casement System is designed to accommodate 13mm stack height friction stays.
- A variety of cost-effective PVC gaskets are available.
- The Santoprene Gasket Range is available upon special request.

GLAZING

- The H 28 Casement System is glazed from the outside only.
- Accommodates single glazing (4mm-8.38mm) only.

COLOUR OPTIONS

- The H 28 Casement System material is stocked in mill finish, black, bronze, charcoal, white and silver.
- A wide range of custom powder coating options are available, with a minimum lead time of 15 working days. Providing you with endless possibilities to bring your vision to life.









H 28 CASEMENT WALL CHART



























Adaptor Shopfront 28 Casement **SF44160**

*Configurations are not limited to details shown. Scale: 1:3 to fit A4.



H 28 CASEMENT PRODUCT FEATURE





H30.5 CASEMENT SYSTEM

HERITAGE

BY H SYSTEMS

H 30.5 CASEMENT FEATURES

The H 30.5 Casement System is a fixed panel and window system, that is characterized by its frame width of 30.5mm. This system is part of the extensive portfolio of aluminium window products available in South Africa, renowned for its durability. The H 30.5 is popular in residential and commercial applications, where it enhances natural light and ventilation while providing a sleek, modern look.

CAPABILITIES

- The H 30.5 Casement System offers a variety of window configurations, including top-hung and sidehung options.
- The H 30.5 Casement System offers a range of adaptors that facilitate integration with patio slider sidelights and shopfronts, enhancing versatility and functionality.
- A range of three mullions (30.5mm, 54mm and 70mm) are available to cater for larger window openings.
- The H 30.5 Casement System is designed to accommodate 13mm stack height friction stays.
- A drip transom profile is available to prevent water from dripping onto the glazing.

GLAZING

- The H 30.5 Casement System is glazed from the outside only.
- Accommodates single glazing (4mm-8.38mm).
- · Accommodates double glazing (14mm-16mm).

COLOUR OPTIONS

- The H 30.5 Casement System material is stocked in mill finish, black, bronze, charcoal, white and silver.
- A wide range of custom powder coating options are available, with a minimum lead time of 15 working days. Providing you with endless possibilities to bring your vision to life.










H 30.5 CASEMENT WALL CHART






































*Configurations are not limited to details shown. Scale: 1:3 to fit A4.



H 30.5 CASEMENT PRODUCT FEATURE













H34 CASEMENT SYSTEM

HERITAGE

BY H SYSTEMS

H 34 CASEMENT FEATURES

The H 34 Casement System is a fixed panel and window system, that is characterized by its frame width of 34mm. This system is part of the extensive portfolio of aluminium window products available in South Africa, renowned for its durability. The H 34 Casement System is popular in residential applications and commercial projects due to its high quality construction and versatile design.

CAPABILITIES

- The H 34 Casement System offers a variety of window configurations, including top-hung and sidehung options.
- A range of three mullions (34mm, 54mm and 70mm) are available to cater for larger window openings.
- The H 34 Casement System is designed to accommodate 13mm stack height friction stays.
- A variety of cost-effective PVC gaskets are available.
- The Santoprene Gasket Range is available upon special request.


GLAZING

- · Accommodates single glazing (4mm-8.38mm).
- Accommodates double glazing (18mm-20.76mm).

COLOUR OPTIONS

- The H 34 Casement System material is stocked in mill finish, black, bronze, charcoal, white and silver.
- A wide range of custom powder coating options are available, with a minimum lead time of 15 working days. Providing you with endless possibilities to bring your vision to life.





DOUBLE GLAZED SASH





H 34 CASEMENT WALL CHART















*Configurations are not limited to details shown. Scale: 1:3 to fit A4.



H 34 CASEMENT PRODUCT FEATURE









H 38 CASEMENT FEATURES

The H 38 Casement System is a versatile 38mm window system, offering multiple opening configurations to suit diverse architectural needs. Its design emphasizes aesthetic flexibility, with a range of sashes and mullions that enable adaptability across various project specifications. Engineered for durability, the system is optimized for maximum performance.

CAPABILITIES

- The H 38 Casement System offers a variety of window configurations, including top-hung and sidehung options.
- Adaptors are available that enables the system to be integrated into a Shopfront or Jacaranda curtain wall.
- A range of four mullions (38mm, 54mm, 76mm and 100mm) are available to cater for larger window openings.
- The H 38 Casement System is designed to accommodate 13mm and 16mm stack height friction stays.
- Heavy duty sash can be used to accommodate larger openings.
- Sub-cill, compensating channel, cill flashing/reveal cover are available.
- A variety of cost-effective PVC gaskets are available.
- The Santoprene Gasket Range is available upon special request.

GLAZING

- Single and double flush glazing options are available.
- Accommodates single glazing: 4mm 8.38mm (sloped bead)
- Accommodates single glazing: 6mm 10mm (square bead)
- Accommodates double glazing: 22mm 26.76mm

COLOUR OPTIONS

- The H 38 Casement System material is stocked in mill finish, black, bronze, charcoal, white and silver.
- A wide range of custom powder coating options are available, with a minimum lead time of 15 working days. Providing you with endless possibilities to bring your vision to life.



H 38 CASEMENT CONFIGURATIONS


DOUBLE SIDE HUNG WINDOW WITH FIXED PANEL IN A SUB-FRAME



DOUBLE GLAZED FLUSH GLAZED SASH



H 38 CASEMENT WALL CHART



*Configurations are not limited to details shown. Scale: 1:3 to fit A4.

CW3873



CW3871

CW3872

CW3874

CW3875

H 38 CASEMENT PRODUCT FEATURE















DRAUGHTING

H Systems offers draughting services for medium to large architectural manufacturers. We have a team of draftsmen who can produce technical plans and drawings based on the architect's plans and client specifications. The service is flexible and can be tailored to meet the specific needs of residential and commercial projects. Our service offering includes digitizing existing plans, preparing shop-drawings for architectural approval, compiling documentation, and submitting as-built drawings in a packaged format for clients to review. H Systems aims to become an effective B2B model.



ESTIMATION

Our comprehensive estimating services and software empower our clients to effortlessly generate accurate quotes for their customers and precise cutting lists for their production facilities with a single click. Our sophisticated software is designed to streamline the estimation process, eliminating manual errors and saving valuable time and resources for our valued customers.



RESEARCH & DEVELOPMENT

Our technical department, comprising of highly skilled and experienced professionals, is engaged in ongoing development of innovative systems and technical solutions that are tailored to meet the evolving needs of our valued customers. Our team stays upto-date with the latest advancements to ensure that we can provide our customers with the most reliable and efficient solutions in the aluminium industry.



CUSTOMER TECHNICAL SUPPORT

At H Systems, we prioritize our customers' satisfaction by providing unwavering support throughout their manufacturing journey. Our dedicated technical support team is committed to delivering exceptional service, offering comprehensive assistance and training to help our customers make informed decisions when selecting the most suitable product or service tailored to their specific needs. Furthermore, our punchtools are carefully crafted to simplify the manufacturing process, ensuring ease of use and increased efficiency, allowing our customers to achieve their production goals seamlessly.

Contact our Technical Department on 011 748 2660 or **technical@hsystems.co.za** for any assistance or further information on the available service.



BIZMANTOOLS ESTIMATING SOFTWARE


H Systems (Pty) Ltd has partnered with Bizmantools, in developing user-friendly software which offers our valued customers a digital platform to do the following:

bizmantools



Bizman quoting enables our valued customers, to produce quotes for their customers and cutting lists for their production facilities at the touch of a button! The feature-packed product helps manage quality and profitability whilst ensuring all work produced is NHRBC (National Home Builders Registration Council) compliant.

H Systems has identified our customers' needs with regards to cutting and estimating and encourage all our valued customers to enquire through our Technical Department (technical@hsystems.co.za), how to get Bizman Lite and take their businesses to the next level.



HERITAGE

A range of generic systems consisting of various non-insulated doors, windows, fixed panels, fixed and ventilated louvre systems.







Window, door and curtain wall manufacturers plan and produce their products with LogiKal. LogiKal takes the user safely and efficiently through the entire process. It has never been so simple to design, estimate and produce doors, windows and curtain walls of all types and all sizes. LogiKal opens up direct and intuitive paths towards your goal.



ORGADATA

WHY LOGIKAL:

- User friendly interface.
- · Personalized one on one training.
- Ongoing database updates.
- Instant help through remote support.
- Smart Measure app.
- Regular on site visits.
- · Cloud solutions.
- Integration with external software.
- Information sharing & collaboration.
- Individual digitalized production.

FEATURES:

- Element Input.
- · Quotation.
- · Shop drawings.
- · Fabrication.
- Material optimization.
- · Reporting.
- · Custom hardware libraries.
- · Construction with CAD.
- · CNC integration.
- AutoCAD & Revit plugin.



HERITAGE

A range of generic systems consisting of various non-insulated doors, windows, fixed panels, fixed and ventilated louvre systems.



CUSTODIAN Ollection

A range of specialized systems exclusive to H Systems consisting of thermally improved double-glazed curtainwall, non-insulated windows, doors, fixed glazing, and cladding systems.





A range of European systems imported from Belgium, comprising of thermally broken and non-insulated doors, windows and fixed panels.



PAINT & FINISHING



H Systems (Pty) Ltd has formed partnerships with different established powder coaters to provide the necessary paint and finishing services to all architectural manufacturers. H Systems and our partners offer tailored powder coating solutions to meet the specific requirements of different projects.

Powder coating architectural aluminium profiles have various benefits, including, but not limited to:

- Solvent free No V.O.C (Volatile Organic Compounds) emission.
- · Low fire hazard risk.
- Waste powder can be recycled.
- Increased durability of finishes on the final product.
- Superior corrosion resistance acting as a barrier to corrosive chemicals and moisture.
- Superior chemical resistance.
- Superior heat resistance and specifically developed for elevated temperatures.
- Superior abrasion and scratch resistance.
- Powders are formulated to withstand high impact.
- Superior quality finish.

Our flexible services mean that we can tailor make a powder coating solution to meet the specific needs of your projects.

Powder Coating specifications available:

- Various finishes (matt, gloss, or satin).
- Various classifications (D1001, D1025, D1036 & D2525).
- · Various colours.
- Akzo Nobel or Ferro product categories.

Powder coating has a minimum lead time of 15 working days.





Charcoal (CH)





Black (BE)

Mill

Bronze (BZE)

VVIIIO

Silver (SE)

Bespoke Colours

Notes



PRODUCT FEATURE



















Our Footprint



Gauteng (Johannesburg)

206 R23 Road, Bredell Ext 26, Kempton Park, Gauteng, 1619 +27 11 748 2660

Western Cape (Cape Town)

Unit 2, Corner of Buttskop Road & Range Road, Kwela Park, Blackheath, Cape Town, 7581 +27 21 905 0005

KwaZulu-Natal, EThekwini (Durban)

Unit 11, Vision Business Park, 5 Tottum Rd, Cornubia, Ethekwini, 4001 +27 31 569 2275

Mpumalanga, Mbombela (Nelspruit)

Unit 2, Glassfit Building, 8 Stinkhout Crescent, Nelspruit, Mpumalanga, 1201 +27 13 752 7565

Eastern Cape, Ggeberha (Port Elizabeth)

11 Nicoll Road, Korsten, Gqeberha, Eastern Cape, 6001 +27 41 451 1642

Technical Department

206 R23 Road, Bredell Ext 26, Kempton Park, Gauteng, 1619 +27 11 748 2660 technical@hsystems.co.za

Debtors Department

+27 33 386 1422/24







